L Number	Hits	Search Text	DB	Time stamp
1	6	(3,818,442 5,771,288 6,339,646).pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 21:14
-	525118	(comput$4 or generat$4 or apply$4 or produc$4 or process$4) with (scrambl$4 or transform$5 or code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 17:39
-	30791	(comput$4 or generat$4 or apply$4 or produc$4 or process$4) with (scrambl$4 or transform$5 or code or mask$4) with (mobile or telecommunicat$4 or communic$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 14:24
-	28296	(comput$4 or generat$4 or apply$4 or produc$4 or process$4) with (scrambl$4 or transformation or code or mask$4) with (mobile or telecommunicat$4 or communic$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 17:42
-	507	(comput$4 or generat$4 or apply$4 or produc$4 or process$4) with (scrambl$4 or transform$4 or mask$4) with code with (mobile or telecommunicat$4 or communic$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 18:03
-	115	((comput$4 or generat$4 or apply$4 or produc$4 or process$4) with (second) with (order or sequence)) with (shift with register with memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 17:45
-	0	(((comput$4 or generat$4 or apply$4 or produc$4 or process$4) with (second) with (order or sequence)) with (shift with register with memory)) and ((comput$4 or generat$4 or apply$4 or produc$4 or process$4) with (scrambl$4 or transform$4 or mask$4) with code with (mobile or telecommunicat$4 or communic$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 17:45
-	6	(((comput$4 or generat$4 or apply$4 or produc$4 or process$4) with (second) with (order or sequence)) with (shift with register with memory)) and ((comput$4 or generat$4 or apply$4 or produc$4 or process$4) with (scrambl$4 or transformation or code or mask$4) with (mobile or telecommunicat$4 or communic$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 17:47
-	1601	shift adj register adj memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 17:49
-	42	(shift adj register adj memory) and (cyclic$5 near shift$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:26
-	58	(shift adj register adj memory) with (add$4 with (bit or value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 18:01
-	0	(shift adj register adj memory) with (add$4 with (bit or value)) with (cyclic$5 near shift$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 17:53

-	0	(shift adj register adj memory) with (add$4 with (bit or value)) same (cyclic$5 near shift$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 17:53
-	1	(((comput$4 or generat$4 or apply$4 or produc$4 or process$4) with (second) with (order or sequence)) with (shift with register with memory)) and ((shift adj register adj memory) with (add$4 with (bit or value)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 17:59
-	340	(comput$4 or generat$4) with (scrambl$4 or transform$4 or mask$4) with code with (mobile or telecommunicat$4 or communic$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 18:03
-	60	((comput$4 or generat$4) with (scrambl$4 or transform$4 or mask$4) with code with (mobile or telecommunicat$4 or communic$5)) and (adder and register and sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 18:04
-	0	1198049.URPN.	USPAT	2004/02/18 18:47
-	65	((comput$4 or generat$4) with (scrambl$4 or transform$4 or mask$4) with code with (mobile or telecommunicat$4 or communic$5 or umts)) and (adder and register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 10:46
-	64	((comput$4 or generat$4) with (scrambl$4 or transform$4 or mask$4) with code with (mobile or telecommunicat$4 or communic$5)) and (adder and register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 10:38
-	1	(((comput$4 or generat$4) with (scrambl$4 or transform$4 or mask$4) with code with (mobile or telecommunicat$4 or communic$5 or umts)) and (adder and register)) not (((comput$4 or generat$4) with (scrambl$4 or transform$4 or mask$4) with code with (mobile or telecommunicat$4 or communic$5)) and (adder and register))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 10:39
-	93	((comput$4 or generat$4) with (scrambl$4 or transform$4 or mask$4) with code same (mobile or telecommunicat$4 or communic$5 or umts)) and (adder and register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 10:47
-	119	((comput$4 or generat$4) with (scrambl$4 or transform$4 or mask$4 or gold) with code same (mobile or telecommunicat$4 or communic$5 or umts)) and (adder and register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 12:58
-	34	((comput$4 or generat$4) with (scrambl$4 or transform$4 or mask$4 or gold) with code same (mobile or telecommunicat$4 or communic$5 or umts)) and (adder and register) and polynomial	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 10:47
-	11	(multipl$5 with (mask with code) with register with value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:13
-	1466	(multiply$4 with (mask or code) with (register or value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:14
-	264	(multiply$4 near2(mask or code) with (register or value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:14

-	68	(multiply$4 near2 (mask or code) with (register))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:14
-	67	((multiply$4 near2 (mask or code) with (register))) not ((multipl$5 with (mask with code) with register with value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:15
-	19	((multiply$4 near2 (mask or code) with (register))) and mask$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:16
-	0	((multiply$4 near2 (mask or code) with (register))) and mask$3 and (delay$4 with code with ($1channel or channel))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:18
-	1	((multiply$4 near2 (mask or code) with (register))) and (delay$4 with code with ($1channel or channel))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:17
-	0	((multiply$4 near2 (mask or code) with (register))) and mask$3 and ("L-channel")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:19
-	4	((multiply$4 near2 (mask or code) with (register))) and mask$3 and ("L-channel" or channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:22
-	0	((multiply$4 near2 (mask or code) with (register))) and mask$3 and ("in-phase")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:22
-	3	((multiply$4 near2 (mask or code) with (register))) and ("in-phase")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:22
-	2	((multiply$4 near2 (mask or code) with (register))) and mask$4 and (cyclic$5 near shift$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:34
-	2	((multiply$4 near2 (mask or code) with (register))) and mask$4 and (cyclic$5 with shift$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:35
-	614	mask$4 and (cyclic$5 with shift$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:35
-	116	mask$4 and (cyclic$5 with shift$4) and polynomial	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:35
-	7	mask$4 and (cyclic$5 with shift$4) and polynomial and (right with shift$3) and delay$4 and scrambl$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:36

-	14	(mask$4 and (cyclic$5 with shift$4) and polynomial and (right with shift$3) and delay$4) not (mask$4 and (cyclic$5 with shift$4) and polynomial and (right with shift$3) and delay$4 and scrambl$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:38
-	21	mask$4 and (cyclic$5 with shift$4) and polynomial and (right with shift$3) and delay$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:54
-	40	mask$4 and (cyclic$5 with shift$4) and polynomial and (right with shift$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:57
-	19	(mask$4 and (cyclic$5 with shift$4) and polynomial and (right with shift$3)) not (mask$4 and (cyclic$5 with shift$4) and polynomial and (right with shift$3) and delay$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:55
-	49	(mask$4 or (signature adj sequence)) and (cyclic$5 with shift$4) and polynomial and (right with shift$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:58
-	9	((mask$4 or (signature adj sequence)) and (cyclic$5 with shift$4) and polynomial and (right with shift$3)) not (mask$4 and (cyclic$5 with shift$4) and polynomial and (right with shift$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:58
-	22089	((comput$4 or generat$4 or apply$4 or calculat$3) and (second) with (sequence)) and (add$4 first with second with sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 14:27
-	450	((comput$4 or generat$4 or apply$4 or calculat$3) with (second) with (sequence) with (shift with register)) and (add$4 first with second with sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 14:29
-	48	((comput$4 or generat$4 or apply$4 or calculat$3) with (second) with (sequence) with (shift with register)) and (add$4 first with second with sequence) and (((cyclic$5 or right) with (shift$3)) with sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 14:31
-	74	((comput$4 or generat$4 or apply$4 or calculat$3) with (second) with (sequence) with (shift with register)) and (add$4 first with second with sequence) and ((((cyclic$5 or right) with (shift$3)) or mask$4) with sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 14:57
-	20	((comput$4 or generat$4 or apply$4 or calculat$3) with (second) with (sequence) with (shift with register)) and (add$4 first with second with sequence) and (((((cyclic$5 or right) with (shift$3)) or mask$4) with sequence) same (add$4 with sequence))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 14:41
-	4	("6021124" | "6317430" | "6396814" | "6408003").PN.	USPAT	2004/02/19 14:39
-	13	((comput$4 or generat$4 or apply$4 or calculat$3) with (second) with (sequence) with (shift with register)) and (add$4 with first with second with sequence) and (((((cyclic$5 or right) with (shift$3)) or mask$4) with sequence) same (add$4 with sequence))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 14:41

-	14	((comput$4 or generat$4 or apply$4 or calculat$3) with (second) with (sequence) with (shift with register)) and (add$4 with first with second with sequence) and ((((cyclic$5 or right) with (shift$3)) or mask$4) with sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 14:57
-	10	((comput$4 or generat$4 or apply$4 or calculat$3) with (second) with (sequence) with (shift with register)) and (add$4 with first with second with sequence) and ((((cyclic$5 or right) with (shift$3)) or mask$4) with sequence) and @ad<20000707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 14:59
-	11	((comput$4 or generat$4 or apply$4 or calculat$3) with (second) with (sequence)same(shift with register)) and (add$4 with first with second with sequence) and ((((cyclic$5 or right) with (shift$3)) or mask$4) with sequence) and @ad<20000707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 14:59
-	16	((comput$4 or generat$4 or apply$4 or calculat$3) with (second) with (sequence)same(shift with register)) and (add$4 same first same second with sequence) and ((((cyclic$5 or right) with (shift$3)) or mask$4) with sequence) and @ad<20000707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 15:12
-	18717	"18" with "10" with "7" with "5" with "1"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 16:41
-	4	("4965826" | "5533014" | "5539746" | "5828956").PN.	USPAT	2004/02/19 16:43
-	0	6535495.URPN.	USPAT	2004/02/19 16:44
-	2	"18" with "10" with "7" with "5" with "1" and (gold adj (sequence or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 16:46
-	29	"18" with "10" with "7" with "5" with "1" same polynomial	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 16:48
-	121	"18" same "10" same "7" same "5" same "1" same polynomial	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 16:49
-	8	6163524.URPN.	USPAT	2004/02/19 17:28